







Busbar system, accessories Busbar center-to-center spacing 60 mm
Busbar support 3-pole for busbars 12x 5 (10)-30x 5 (10) External
fixing Width: 20 mm



| Model | |
|---|-----------|
| Product brand name | SENTRON |
| Operating voltage / at AC / rated value | 690 V |
| Suitability for use | Flat bars |
| Mechanical Design | |
| Width | 20 mm |
| Busbar center-to-center spacing | 60 mm |
| Certificates | |

| General Product Approval | | | Declaration of Conformity | Test Certificates | |
|--|---|---|---|--|-------------------------------|
|  CSA |  UR |  |  EG-Konf. | Special Test Certificate | Miscellaneous |

| Shipping Approval | other |
|--|---|
|  PRS |  RINA |
| | Miscellaneous |

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1923-2AA01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1923-2AA01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1923-2AA01


CAX-Online-Generator

<http://www.siemens.com/cax>



Tender specifications

<http://www.siemens.com/specifications>

A



A



SCHNITT: A-A